



BOAT/MARINE  



CABIN  



RV/VAN  



TINY HOME  




Bringing electricity where you didn't think possible

Whether you're relaxing on a boat, cabin, RV, or in remote rural areas where there is no grid to connect to, these powerful small 12V solar panels manufactured by Coulee Limited are your ideal solutions for providing back-up power or off-grid power.

Use one panel alone or add additional panels to create a custom solar energy system. Make Coulee solar panels part of your off-grid adventure.

Watch video on YouTube
[What Can We Power With One 120-watt Solar Panel](#)



Semi Flexible Shingled PERC Solar Module

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- BENDING OVER 30 DEGREES
 - SHINGLED PERC SOLAR CELLS
 - ETFE SURFACE
 - 5 YEARS PRODUCT WARRANTY

Module Type	CL080F	CL100F	CL120F	CL150F	CL160F
FOB Ningbo \$/Wp	0.99-0.85				
Pmax (Wp)	80	100	120	150	160
Vmp (V)	18.42	18.42	17.18	20.56	18.3
Imp (A)	3.58	5.47	7.03	7.28	8.74
Voc (V)	22.32	22.32	20.83	24.92	22.2
Isc (A)	3.8	5.79	7.4	7.66	9.3
Module Dimension (mm)	1120 × 375	1120 × 530	1055 × 685	1055 × 845	1115 × 845
Weight(kg)	1.0	1.45	1.75	2.2	2.35
Module Efficiency (%)	16.2	16.85	16.60	16.83	16.98



P.S.: Modules with black frame & black backsheet are available upon request.



Poly Solar Module 150W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL150P6-36	CL155P6-36	CL160P6-36	CL165P6-36
FOB Ningbo \$/Wp	0.275-0.225			
Pmax (Wp)	150	155	160	165
Vmp (V)	17.9	18.2	18.4	18.5
Imp (A)	8.38	8.52	8.70	8.92
Voc (V)	21.3	21.7	21.8	22.4
Isc (A)	8.88	9.03	9.22	9.45
Module Dimension (mm)	1480 × 670 × 35			
Arrangement	4 × 9			
Weight(kg)	11.5			



Loading Quantity

- 20GP: 476pcs
- 40HQ: 1530pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Poly Solar Module 100W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL100P6-36	CL105P6-36	CL110P6-36
FOB Ningbo \$/Wp	0.30-0.255		
Pmax (Wp)	100	105	110
Vmp (V)	17.9	18.3	18.6
Imp (A)	5.59	5.74	5.91
Voc (V)	21.3	21.8	22.4
Isc (A)	5.92	6.08	6.21
Module Dimension (mm)	1000 × 670 × 30		
Arrangement	4 × 9		
Weight(kg)	8.0		



Loading Quantity

- 20GP: 680pcs
- 40HQ: 2244pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Poly Solar Module 80W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL075P6-36	CL080P6-36
FOB Ningbo \$/Wp	0.325-0.29	
Pmax (Wp)	75	80
Vmp (V)	17.9	18.4
Imp (A)	4.19	4.35
Voc (V)	21.3	21.8
Isc (A)	4.44	4.61
Module Dimension (mm)	770 × 670 × 30	
Arrangement	4 × 9	
Weight(kg)	6.0	



Loading Quantity

- 20GP: 1088pcs
- 40HQ: 2856pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Poly Solar Module 50W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL50P6-36	CL55P6-36
FOB Ningbo \$/Wp	0.345-0.31	
Pmax (Wp)	50	55
Vmp (V)	17.9	18.2
Imp (A)	2.79	3.02
Voc (V)	21.3	21.4
Isc (A)	2.96	3.28
Module Dimension (mm)	670 × 540 × 30	
Arrangement	4 × 9	
Weight(kg)	4.2	



Loading Quantity

- 20GP: 1440pcs
- 40HQ: 4320pcs

P.S.: Modules with black frame & black backsheets are available upon request.



Poly Solar Module 30W

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL030P6-36
FOB Ningbo \$/Wp	0.35
Pmax (Wp)	30
Vmp (V)	17.9
Imp (A)	1.68
Voc (V)	21.3
Isc (A)	1.78
Module Dimension (mm)	650 × 350 × 25
Arrangement	2 × 18
Weight(kg)	2.6



Loading Quantity

- 20GP: 2400pcs
- 40HQ: 7200pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Mono Solar Module 150W Series

- MOQ: 30pcs
- Lead Time: in 10 working days
- Payment Terms: T/T, L/C, Western Union
- Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
- 25-YEAR PERFORMANCE WARRANTY
- IEC61215, IEC61730 CERTIFIED

Module Type	CL150M6-36	CL160M6-36	CL170M6-36	CL180M6-36	CL185M6-36
FOB Ningbo \$/Wp	0.29-0.24				
Pmax (Wp)	150	160	170	180	185
Vmp (V)	18.1	18.2	18.4	18.6	18.8
Imp (A)	8.29	8.79	9.24	9.68	9.84
Voc (V)	22.1	22.2	22.4	22.6	22.8
Isc (A)	8.69	9.32	9.32	10.26	10.33
Module Dimension (mm)	1480 × 670 × 35				
Arrangement	4 × 9				
Weight(kg)	11.5				



Loading Quantity

- 20GP: 476pcs
- 40HQ: 1530pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Mono Solar Module 100W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL100M6-36	CL105M6-36	CL110M6-36	CL120M6-36
FOB Ningbo \$/Wp	0.32-0.28			
Pmax (Wp)	100	105	110	120
Vmp (V)	18.1	18.2	18.3	18.4
Imp (A)	5.52	5.77	6.01	6.52
Voc (V)	22.1	22.2	22.3	22.5
Isc (A)	5.86	6.12	6.31	6.85
Module Dimension (mm)	1000 × 670 × 30			
Arrangement	4 × 9			
Weight(kg)	8.0			



Loading Quantity

- 20GP: 680pcs
- 40HQ: 2244pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Mono Solar Module 80W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL075M6-36	CL080M6-36	CL085M6-36	CL090M6-36
FOB Ningbo \$/Wp	0.355-0.31			
Pmax (Wp)	75	80	85	90
Vmp (V)	18.1	18.2	18.4	18.7
Imp (A)	4.14	4.40	4.62	4.81
Voc (V)	22.1	22.3	22.4	22.7
Isc (A)	4.39	4.66	4.90	5.11
Module Dimension (mm)	770 × 670 × 30			
Arrangement	4 × 9			
Weight(kg)	6.0			



Loading Quantity

- 20GP: 1088pcs
- 40HQ: 2856pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Mono Solar Module 50W Series

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL50M6-36	CL55M6-36
FOB Ningbo \$/Wp	0.38-0.35	
Pmax (Wp)	50	55
Vmp (V)	18.1	18.3
Imp (A)	2.76	3.01
Voc (V)	22.1	22.3
Isc (A)	2.93	3.19
Module Dimension (mm)	670 × 540 × 30	
Arrangement	4 × 9	
Weight(kg)	4.2	



Loading Quantity

- 20GP: 1440pcs
- 40HQ: 4320pcs

P.S.: Modules with black frame & black backsheet are available upon request.



Mono Solar Module 30W

- MOQ: 30pcs
 - Lead Time: in 10 working days
 - Payment Terms: T/T, L/C, Western Union
 - Validity: till June 30, 2021
- 10-YEAR PRODUCT WARRANTY
 - 25-YEAR PERFORMANCE WARRANTY
 - IEC61215, IEC61730 CERTIFIED

Module Type	CL030M6-36
FOB Ningbo \$/Wp	0.38
Pmax (Wp)	30
Vmp (V)	18
Imp (A)	1.67
Voc (V)	21.9
Isc (A)	1.77
Module Dimension (mm)	650 × 350 × 25
Arrangement	2 × 18
Weight(kg)	2.6




Loading Quantity

- 20GP: 2400pcs
- 40HQ: 7200pcs


P.S.: Modules with black frame & black backsheet are available upon request.

Remote Applications

- Solar Water Pumping System
- Solar Lighting System




Access to clean drinking water and lighting are two of the most significant challenges for many remote villages and towns. Solar power systems can provide this access by using solar-powered water pumps and purification systems. These off-grid systems are simple to design and install, and often do not require batteries for electrical storage. The amount of water needed on a daily basis is pumped into a tank during daylight hours where it is stored until consumed. A small system can also be used to power street lights by adding a small battery and charge controller to provide light and safety for travelers on remote roads.



➤ Solar Home System

Small homes in remote locations can now be equipped with some modern conveniences. A small-scale off-grid solar system can provide a reliable and continuous energy supply that is more economical than a diesel generator or others in long time run. The diagram above shows a system using a small solar panel, a charge controller, and a battery. Thousands of these types of systems have been installed with Coulee Solar Products, providing critical power for safety, lighting, communications and so on.


Telecommunication



➤ Telecom System

Telecommunication companies often run into challenges when trying to provide coverage to remote and rural locations where no grid is available to connect to for powering their transmitters. With a medium to large-scale off-grid system, telecom providers can deliver reliable, continuous service to any remote area. These systems can be designed to operate completely off-grid or as a reliable hybrid system tied to the grid, as shown above. Coulee Limited has been supplying reliable off-grid solar systems to telecom providers for years.

Rural Power Supply



➤ Rural Power Supply System

The sun shines brightly in many rural communities. However, they can't get access to electricity because there is no grid nearby. Those communities can turn that sunlight into electricity by using a central off-grid system to provide power that can be shared by everyone. The diagram above shows using solar panels supplying energy to a small village.

Building Green Future

Coulee Limited

Expert in the manufacture of non-standard solar panels

OEM & ODM Available



Ningbo Headquarters
Manufacturing Plant
Add: No. 24 Beihai Rd.,
Beilun Dist., Ningbo, P. R. China
Tel.: +86 574 2687 5217
Fax.: +86 574 2687 7727
E-mail: info@couleenergy.com
<https://couleenergy.com>